## **AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions and listings of claims in the application:

- 1-20. (Canceled)
- 21. (Currently amended) A method for inducing chondrogenesis, said method comprising administering an effective amount of a composition comprising
  - (1) purified CD105+ non-tissue culture expanded cells isolated from bone marrow by the following process:
    - (a) isolating mononuclear cells from bone marrow;
    - (b) incubating the cells with anti-CD105 antibody microbeads; and
    - (c) isolating the cells bound to the microbeads,

and

- (2)-a suitable matrix carrier.
- 22. (Canceled)
- 23. (Previously presented) The method of claim 21 further comprising administering a bone and or cartilage inducing factor.
  - 24. (Original) The method of claim 23 wherein said factor is a BMP.
- 25. (Currently amended) The method of claim 24 wherein said-the BMP is selected from the group consisting of BMP-2 and or BMP-9.
- 26. (Currently amended) A method for treating arthritis, said method comprising administering an effective amount of a composition comprising

Application No.: 10/078,808 Attorney Docket No. 08702.0086-00000

(1) purified CD105+ non-tissue culture expanded cells isolated from bone marrow by the following process:

- (a) isolating mononuclear cells from bone marrow;
- (b) incubating the cells with anti-CD105 antibody microbeads; and
- (c) isolating the cells bound to the microbeads,

and

- (2) a suitable matrix carrier.
- 27. (Currently amended) A method for treating articular cartilage defects or damage, said method comprising administering an effective amount of a composition comprising
  - (1) purified CD105+ non-tissue culture expanded cells isolated from bone marrow by the following process:
    - (a) isolating mononuclear cells from bone marrow;
    - (b) incubating the cells with anti-CD105 antibody microbeads; and
    - (c) isolating the cells bound to the microbeads,

and

- (2) a suitable matrix carrier.
- 28. (Currently amended) A method for repairing cartilage tissue said method comprising administering an effective amount of a composition comprising
  - (1) purified CD105+ non-tissue culture expanded cells isolated from bone marrow by the following process:

Application No.: 10/078,808 Attorney Docket No. 08702.0086-00000

- (a) isolating mononuclear cells from bone-marrow;
- (b) incubating the cells with anti-CD105 antibody microbeads; and
- (c) isolating the cells bound to the microbeads,
- (2) a suitable matrix carrier; and
- (3) a factor selected from a bone inducing factors and cartilage inducing factors.
- 29. (Previously presented): The method of claim 28 wherein said factor is a BMP.
  - 30. (Canceled)
- 31. (Currently amended) The method of claim 29 wherein said the BMP is selected from the group consisting of BMP-2 and or BMP-9.
- 32. (New) The method of claim 26, further comprising administering a bone and or cartilage inducing factor.
  - 33. (New) The method of claim 32, wherein said factor is a BMP.
  - 34. (New) The method of claim 33, wherein the BMP is BMP-2 or BMP-9.
  - 35. (New) The method of claim 27, further comprising administering a bone and or cartilage inducing factor.
  - 36. (New) The method of claim 35, wherein said factor is a BMP.
  - 37. (New) The method of claim 36, wherein the BMP is BMP-2 or BMP-9.